### CITY OF DOWNEY - CONSTRUCTION & DEMOLITION APPLICATION

### WASTE MANAGEMENT PLAN - FORM A

## Page 1 of 3

Article V, Chapter 8 (Ordinance No. 09-1252) of the Downey Municipal Code requires that 100% of inert debris and at least 65% of the remaining construction and demolition(C&D) debris generated during a construction or demolition project, be diverted from landfill. Covered applicants are required to complete a C&D Waste Management Plan (Form A) that details anticipated diversion practices, and materials to be recycled or reused. The Waste Management Plan Compliance Report (Form B) must be submitted 30 days after the completion of the project.

Please complete this form and submit it to the City of Downey Building Division or Engineering Division, 11111 Brookshire Ave., Downey, CA, 90241, along with your: 1) building permit application, and 2) performance security, unless otherwise instructed. Date: \_\_\_\_\_ Applicant Name: Phone #: Contractor Name: Job Site Address: □ New Construction
□ Demolition
□ Renovation
□ Grading
□ Other Type of Project: Type of Building: □ Residential □ Non-residential Relation to Project: 

Owner 

Contractor 

Authorized Representative Project Valuation: \$\_\_\_\_\_ Estimated Project Start Date: \_\_\_\_\_ Estimated Project Completion Date: \_\_\_\_\_ Project Description (include square footage): Who will handle refuse & recyclables generated by your project? (Please check one or more of the following boxes) □ 1 - CalMet Services. I plan to use CalMet Services for trash and recycling services on the project on an exclusive basis (i.e., I will not hire any other company(s) to haul material nor will I self-haul waste from the project site for recycling and disposal). Applicant must contact CalMet at (562) 259-1239 to obtain a work order and to arrange for disposal and recycling. If any change to collection service occurs, the applicant must immediately inform the City and submit a revised Form A. Failure to do so is a violation of the Downey Municipal Code, and will result in a Stop Work Notice and other penalties. CalMet will be responsible for assuring conformance with the ordinance. Please complete the Performance Security section below, sign where indicated, and submit this form along with your Performance Security Deposit and building permit application to the City of Downey. Applicant does <u>not</u> need to complete pages 2 and 3 of Form A. □ 3 - Self Haul. Material will be collected and delivered to recyclers, processors, and landfills using only the applicant's equipment and vehicles. Refer to attached list of recycling facilities and approved processors to which material may be delivered. Please complete the Performance Security section below, pages 2 and 3 of this form, then sign and submit form along with your Performance Security Deposit and building permit application to the City of Downey. PERFORMANCE SECURITY DEPOSIT A Performance Security Deposit must be paid to the City and will be refunded in full to the applicant after the completion of the project and upon confirmation that 100% of inert materials and at least 65% of the remaining waste generated was diverted from landfill. Return of deposit may be withheld if applicant does not meet diversion requirements. Deposit amount should equal 3% of the total project valuation, or a minimum of \$2,500. (Re-roofs are less) Payment may be made in the form of cash, credit card, money order (payable to City of Downey), performance bond, surety bond, letter of credit, and certificate of deposit. Total Project Value \$\_\_\_\_\_ Deposit Amount \$ I hereby state that all information presented herein is true and accurate to the best of my knowledge. I further state that I have read and that I understand the C&D Ordinance and that I will comply in all respects with all requirements contained therein. \_\_\_\_\_ Print Name Diversion: Inert\_\_\_\_\_% Other C&D\_\_\_\_\_% Total\_\_\_\_\_% For City Use Only Deposit Received \$\_\_\_\_\_

□ Compliant □ Good Faith □ Non-Compliant

APPROVED - WMP COMPLIANCE OFFICER DATE

WMP Approved\_\_\_\_\_\_ Date\_\_\_\_\_

Deposit Returned \$\_\_\_\_\_ Date\_\_\_\_

By

#### CITY OF DOWNEY - CONSTRUCTION & DEMOLITION

## WASTE MANAGEMENT PLAN - FORM A - Page 2 of 3

APPLICANT NAME:	 	 	
PROJECT ADDRESS: _	 	 	

ORIGINALS of all receipts and weight tags from recycling facilities, salvage companies, deconstruction contractors, haulers, transfer stations, processors, and landfills MUST be submitted with final Compliance Report – Form B.

# APPLICANTS ARE REQUIRED TO RECYCLE 100% OF ALL INERT DEBRIS AND AT LEAST 65% OF THE REMAINING C&D DEBRIS

Indicate materials to be generated, their estimated tonnages, and expected destinations. To convert units of volume (for example – cubic feet (cf), cubic yards (cy), etc.) into tons, use the conversion factors provided. Note: 1 ton = 2,000 lbs.

#### **INERT MATERIALS ONLY**

INERT Materials	Recycled (tons)	Reused (tons)	Disposed (tons)	Total Quantity Generated	Facility to be Used/Destination of Material
Example: Dirt 10 cy = 18,900 lbs	5 tons	8 tons	10 tons	23 tons	Example: Recycle – Azusa Land Reclamation Reuse – On job site for grading Dispose – Puente Hills Landfill
<b>Asphalt</b> 1 cy = 1,380 lbs					
Brick 1 cy = 3,024 lbs					
Concrete 1 cy = 1,855 lbs					
Rock, Gravel					
Tile (ceramic), Stone 1 cy = 1,214 lbs					
Other					
Other					

Fill in the bl by your proj		nine if you	u will divert <b>100% of the</b>	INERT M	<b>ATERIAL</b> gen	erated
Recycled	+ Reused	=	÷ Quantity Generated	=	x 100 =	%

# WASTE MANAGEMENT PLAN - FORM A - Page 3 of 3

## REMAINDER OF C&D MATERIAL

Material	Recycled (tons)	Reused (tons)	Disposed (tons)	Total Quantity Generated	Facility to be Used/Destination of Material
Building Materials (ceiling tile, doors, fixtures, windows, etc.)					
Cardboard, Paper 1 cy = 100 lbs					
Carpet, Carpet Padding 1 cy = 84.4 lbs					
Dirt 10 cy = 18,900 lbs					
Glass 1 cy = 2,160 lbs					
Green Waste 40 cy = 4,320 lbs					
Gypsum/Dry Wall 1 cy = 3,834 lbs					
Metals 1 cy = 906 lbs					
Mixed C&D (commingled, recyclable)					
Plastic 1 cy = 22.55 lbs					
Roofing Material					
Stucco					
Wood (lumber, doors, etc.) 1 cy = 329.5 lbs					
Refuse					
Other				_	
Other		_			
TOTALS					

	Fill in the blanks to determine if you will divert at least <b>65</b> % of the materials above generated by your project:						
Recycled + Reused = ÷ Quantity Generated = x 100 = %							
	For City Use Only	☐ WMP Approved ☐ Resubmit					
	Reviewed by	Date	-				